

## FLOW METER

ELF

## BODY MATERIAL

Acrylic **A**  
 Grilamid® **G**  
 Trogamid® **T**

## FLOW RANGE

## WATER AIR

	WATER		AIR		
	GPH	LPM	SCFH	NLPM	
	0.35	0.02	2.5	1.3	<b>A</b>
	0.6	0.04	3.5	1.8	<b>B</b>
	1.0	0.06	5.5	2.6	<b>C</b>
	1.5	0.10	8.5	4	<b>D</b>
	2.2	0.14	14	6	<b>E</b>
	4	0.25	18	9	<b>F</b>
	6	0.4	28	12	<b>G</b>
	9	0.55	40	18	<b>H</b>
	12	0.8	60	30	<b>I</b>
	20	1.2	100	45	<b>J</b>
	40	2.5	120	60	<b>K</b>

SCALE		
	Water GPH	<b>1</b>
	Air SCFH (14.7 psia @ 68°F)	<b>2</b>
	Dual Scale GPH / SCFH	<b>3</b>
	Water LPM	<b>4</b>
	Air NLPM (101.3 kPa @ 20°C)	<b>5</b>
	Dual Scale LPM / NLPM	<b>6</b>
	Percent Scale 10-100%	<b>7</b>
	CC per Min	<b>8</b>
	Relative Scale (1-10)	<b>R</b>

OPTIONS		
	Constant flow regulator	<b>C</b>
	EPDM O-ring seals	<b>E</b>
	Hand adjusting knob	<b>H</b>
	Viton® O-ring seals	<b>V</b>