

**FLOW METER**

**ELF**

**BODY MATERIAL**

Acrylic  
Grilamid  
Trogamid

**A**  
**G**  
**T**

**FLOW RANGE**

**WATER**

**AIR**

	GPH	LPM	SCFH	NLPM	
	0.35	0.02	2.5	1.3	<b>A</b>
	0.6	0.04	3.5	1.8	<b>B</b>
	1.0	0.06	5.5	2.6	<b>C</b>
	1.5	0.10	8.5	4	<b>D</b>
	2.2	0.14	14	6	<b>E</b>
	4	0.25	18	9	<b>F</b>
	6	0.4	28	12	<b>G</b>
	9	0.55	40	18	<b>H</b>
	12	0.8	60	30	<b>I</b>
	20	1.2	100	45	<b>J</b>
	40	2.5	120	60	<b>K</b>

**SCALE**

- Water GPH **1**
- Air SCFH (14.7 psia @ 68°F) **2**
- Dual Scale GPH / SCFH **3**
- Water LPM **4**
- Air NLPM (101.3 kPa @ 20°C) **5**
- Dual Scale LPM / NLPM **6**
- Percent Scale 10-100% **7**
- CC per Min **8**
- Relative Scale (1-10) **R**
- Custom scales available, use code **X**

**OPTIONS**

- Constant Flow Regulator **C**
- EPDM o-ring seals **E**
- Hand adjusting knob **H**
- BSP threads **R**
- Viton o-ring seals **V**