

FLOW METER

EM - [] - [] - [] - []

| | | |
|--------------------|--------------|----------|
| END BLOCK MATERIAL | Aluminum | A |
| | Delrin (POM) | D |
| | Kynar (PVDF) | K |
| | SS316 | S |

| FLOW RANGE | WATER | | AIR | | |
|------------|-------|------|------|------|----------|
| | GPM | LPM | SCFM | NLPM | |
| | 0.55 | 2 | 3 | 75 | A |
| | 0.9 | 3.25 | 5 | 130 | B |
| | 1.4 | 5.5 | 7 | 180 | C |
| | 2.4 | 9 | 11 | 280 | D |
| | 2.6 | 10 | 12 | 325 | E |
| | 4.5 | 17 | 20 | 500 | F |
| | 6 | 22 | 26 | 650 | G |
| | 8 | 30 | 35 | 900 | H |

| | | |
|-------|-----------------------------|----------|
| SCALE | Water GPM | 1 |
| | Air SCFM (14.7 psia @ 68°F) | 2 |
| | Dual Scale GPM / SCFM | 3 |
| | Water LPM | 4 |
| | Air NLPM (101.3 kPa @ 20°C) | 5 |
| | Dual Scale LPM / NLPM | 6 |
| | Relative Scale (1-10) | R |

| | | |
|---------|--------------------|----------|
| OPTIONS | PES/PSU flow tube | P |
| | Viton o-ring seals | V |
| | EPDM o-ring seals | E |